### Mailbox Setup

_		
$\mathbf{C}$	nto	ents
CU	1110	<b>711 L</b> 3


Setup email in MS Outlook 2007	2
Accessing webmail	7

# Setup email in MS Outlook 2007


Select tools

**Account Settings** 


Select the email account Tab and click New




Click Microsoft Exchange, Pop3, IMAP or HTTP and click next




Click manually configure server settings or additional server types and click next




### Click Internet Email and click next




Enter the account information, and then click the more settings button



Click the Outgoing Server Tab and click




Now click the Advanced Tab and change the outgoing server port from 25 to 587 and click OK



You will now be back to the main setup screen

Now click Test Account Settings.



If all went well Outlook 2007 should have successfully sent and retrieved a test email via your new account

Send an email to yourself to test this new email account.

### **Accessing webmail**

Note webmail can only be used to access mailboxes To access your email via a web browser

- 1. Launch your web browser eg Internet Explorer, Mozilla etc
- 2. In the address box type your mail server address e.g. mail.yourdomain.com
  - a. Note this can be found under your control panel
  - b. After logging in to your control panel
  - c. Click mail info --- Mail manager
  - d. Your mail server details are listed under the mail service heading
- 3. You will be presented with the following screen

# This is the default H-Sphere server page. From here you are able to access the following services: E-mail Utilities: Squirrelmail—mail client IMP—mail client Change your POP3 password If this page is not what you wanted to get, most probably, one of the one of the following situations occured: Domain name refers to H-Sphere logical server, e.g., web.service-domain.com Third-level domain name does not exist. Maybe, you typed it incorrectly, e.g., valeed-domain .example.com instead of valid-domain.example.com Domain incorrectly points to this H-Sphere server.

- 4. Click either
  - a. Squirrelmail or
  - b. IMP mail client
- 5. Enter your email address and password
- 6. Click login

Documentation for squirrelmail can be found here <a href="http://www.squirrelmail.org/docs/user/user.html">http://www.squirrelmail.org/docs/user/user.html</a>
Documentation for IMP can be found here <a href="http://www.horde.org/imp/docs/">http://www.horde.org/imp/docs/</a>

http://www.uacinfotech.com.au © 2007 U.A.C InfoTech Solutions